

- For each of the following manifolds, state without proof (i) its dimension; (ii) its boundary (if any); (iii) whether or not it's compact; (iv) whether or not it's a closed manifold.
 - $X = \overline{B_1(0,0)} \subset \mathbb{R}^2$ (i.e., X is the closed unit disk in the plane).
 - $Y = X - B_{0.5}(0,0)$.
 - Y° (the interior of Y , where Y is viewed as a subspace of \mathbb{R}^2).
 - $Z = X/\partial X$. (This means identify the whole boundary of X into one point – recall that $\partial X = S^1$.)
 - $S^1 \times [0,1]$
 - $S^1 \times (0,1)$
 - $S^1 \times [0,1)$
 - $S^1 \times \mathbb{R}$
 - \mathbb{R}^2
 - $S^2 = \{(x,y,z) \in \mathbb{R}^3 \mid x^2 + y^2 + z^2 = 1\}$
 - $S^2 - \{(0,0,1)\}$
 - $S^2 - \{(0,0,1), (0,0,-1)\}$
 - $S^2 - B_{0.5}(0,0,1)$
 - $S^2 \times [0,1]$
 - $B_1(0,0,0)$
 - \mathbb{R}_+^3
 - $B_1(0,0,0) - B_{0.5}(0,0,0)$
 - $S^2 \times [0,1)$
 - $T^2 \times [0,1]$
- State, without proof, whether or not each of the following topological spaces is a manifold (with or without boundary). If you claim that it is a manifold, give its dimension and boundary, and state whether or not it is closed. If you claim that it is not a manifold, give a brief reason.
 - $\mathbb{R}_+^2 - \{(0,0)\}$
 - $\mathbb{R}_+^2 - \{(x,y) \mid -1 \leq x < 1, y = 0\}$
 - $\mathbb{R}/\{x \sim -x\}$
 - $[B_2(0,0) \cup B_2(5,0)]/\{\forall(x,y) \in B_1(0,0), (x,y) \sim (x+5,y)\}$
 - $[B_2(0,0) \cup B_2(5,0)]/\{\forall(x,y) \in \overline{B_1(0,0)}, (x,y) \sim (x+5,y)\}$
- Suppose X is a discrete topological space (i.e. it has the discrete topology) with at least two points. Prove that X is not connected.

Extra Credit Problems

- Prove that every compact 3-manifold $M \subset \mathbb{R}^3$ has boundary.
- Find an example of a collection $B_1 \supseteq B_2 \supseteq B_3 \supseteq \cdots$ of nested nonempty open subsets of \mathbb{R} whose intersection $\bigcap B_i$ is empty.
 - Find an example of a collection $B_1 \supseteq B_2 \supseteq B_3 \supseteq \cdots$ of nested nonempty closed subsets of \mathbb{R} whose intersection $\bigcap B_i$ is empty. (Hint: look for noncompact, closed, totally disconnected subsets.)
 - Let $B_1 \supseteq B_2 \supseteq B_3 \supseteq \cdots$ be a collection of nested nonempty closed subsets of a compact topological space X . Prove their intersection $\bigcap B_i$ is nonempty.