

---

# Complex Analysis

Math 214 Spring 2004  
©2004 Ron Buckmire

Fowler 112 MWF 3:30pm - 4:25pm  
<http://faculty.oxy.edu/ron/math/312/04/>

---

*Class 3: Monday January 23*

**SUMMARY** Polar and Exponential Forms of Complex Numbers

**READING** Saff & Snider, Section 1.3

**HOMEWORK** Saff & Snider, Section 1.3 # 2, 5, 6, 7(abc), 12, 13 **Extra Credit: # 22**

We have been considering the complex plane as an analogue to the 2-D cartesian x-y plane. You may recall that there are other coordinate systems that can be imposed on the 2-D plane. One of those coordinate systems is known as **polar coordinates**.

**Exercise 1**

Write  $(1, \sqrt{3})$  in polar coordinates.

What is the angle between a line drawn from  $(0, 0)$  to  $(1, \sqrt{3})$  and the  $x$ -axis?

The complex number which is found at  $(1, \sqrt{3})$  is \_\_\_\_\_.

It can also be written as  $z = r(\cos \theta + i \sin \theta) = |z| \text{cis } \theta$

This is known as the **polar form** of the complex number.

This angle  $\theta$  corresponding to the complex number  $z$  is called the **principal argument** of  $z$ , denoted by  $\text{Arg } z$ . By tradition,  $-\pi < \text{Arg } z \leq \pi$  and  $\text{Arg } 0$  is undefined.


The set of all values  $\theta$  of such that  $\tan \theta = \frac{\text{Im } z}{\text{Re } z}$  is known as the **argument** of  $z$ , or  $\arg z$

$$\arg z = \text{Arg } z + 2n\pi \quad (n = 0, \pm 1, \pm 2, \dots) \quad (1)$$

**GROUPWORK**

Therefore,  $\arg(1 + \sqrt{3}i)$  is \_\_\_\_\_.

Write  $z_1 = -1 - i$  and  $z_2 = 1 - i$  in **polar form** and sketch them on the graph below.



Do you see any interesting geometrical relationship between  $z_1$  and  $z_2$ ?

Do you notice any interesting algebraic relationship between  $z_1$  and  $z_2$ ?

Write down a general relationship between  $\arg(z_1 z_2)$  and  $\arg(z_1)$  and  $\arg(z_2)$

## Exponential Forms Of Complex Numbers

### Euler's Formula

You may have noticed that the expression  $\cos \theta + i \sin \theta$  is so common that the shorthand  $\text{cis } \theta$  has been developed. Another, even more compact symbol can be derived using **Euler's Formula**:

$$e^{i\theta} = \cos \theta + i \sin \theta$$

Note  $\theta = \arg z$  and is a real number in these formulas. So, now we can write complex numbers in **exponential form**

$$z = |z|e^{i\theta} = re^{i\theta}$$

### **Exercise 2**

A. Compute the value of  $e^{\pi i}$

B. Write  $1 + i$  in exponential form

C. Write  $(1 - i)^5$  in rectangular form (i.e. the usual  $x + iy$ )

### De Moivre's Formula

$$(\cos \theta + i \sin \theta)^n = \cos n\theta + i \sin n\theta$$

We will prove this is true by first writing down  $z^n$  in polar form and exponential form and equating them.