

Abstract Submitted
for the DPP14 Meeting of
The American Physical Society

Sorting Category: 1.2.6 (Experimental)

Effect of a central “squeeze” potential on asymmetry-induced transport¹ D.L. EGGLESTON, Occidental College — We report on initial experiments measuring the radial particle flux produced when a “squeeze” voltage ($V_{sq} \sim \pm 1$ V) is applied to the center ring (S3) of our cylindrical Malmberg-Penning trap at the same time as the voltages producing our usual asymmetry potential $\phi_1(r) \cos(kz) \cos(\omega t - l\theta)$. Two results are of interest: 1) When a negative DC squeeze voltage is applied to S3, the flux produced by the asymmetry is reduced by a factor $e^{(V_{sq}/V_0)}$ where $V_0 \approx 1.2$ V. Evidently, particles need to be able to transit the entire machine to produce transport. This is consistent with our transport model but the scale factor V_0 is much larger than expected. 2) When symmetric \pm voltages are applied to the two azimuthally-divided halves of S3, DC or low-frequency voltages increase the radial flux while high-frequency voltages decrease it. In similar experiments, others² have attributed such transport changes to induced chaotic particle orbits, but we note that the squeeze voltage itself produces transport and the resulting modification of the plasma may also be a factor in changing the observed flux. We have not yet found a way to distinguish between these two effects.

¹Supported by U.S. Department of Energy grant DE-FG02-06ER54882.

²Daniel H.E. Dubin et al., Phys. Plasmas **19**, 056102 (2012).

☐ Prefer Oral Session
☒ Prefer Poster Session

Dennis L. Eggleston
dleggles@oxy.edu
Occidental College

Date submitted: July 9, 2014

Electronic form version 1.4