# Complex Analysis

## Math 312 Spring 2016 2016 Ron Buckmire

Fowler 309 MWF 11:45am-12:40pm http://sites.oxy.edu/ron/math/312/16/

# Class 3: Monday January 25

TITLE Polar and Exponential Forms of Complex Numbers
READING Zill & Shanahan, §1.3
HOMEWORK Zill & Shanahan, §1.3 # 19, 25, 34, 37, 38 Extra Credit: # 44

#### SUMMARY

We have been considering the complex plane as an analogue to the 2-D cartesian xy-plane. You may recall that there are other coordinate systems that can be imposed on the 2-D plane. One of those coordinate systems is known as **polar coordinates**.

#### Exercise 1

Write  $(1, \sqrt{3})$  in polar coordinates.

What is the angle between a line drawn from (0,0) to  $(1,\sqrt{3})$  and the x-axis?

The complex number which is found at  $(1, \sqrt{3})$  is \_\_\_\_\_.

It can also be written as  $z = r(\cos \theta + i \sin \theta) = |z| \operatorname{cis} \theta$ 

This is known as the **polar form** of the complex number.

This angle  $\theta$  corresponding to the complex number z is called the **principal argument** of z, denoted by Arg z. By tradition,  $-\pi < \text{Arg } z \leq \pi$  and Arg 0 is undefined.


The set of all values  $\theta$  of such that  $\tan \theta = \frac{\operatorname{Im} z}{\operatorname{Re} z}$  is known as the **argument** of z, or  $\arg z$ 

 $\arg z = \operatorname{Arg} z + 2n\pi$   $(n = 0, \pm 1, \pm 2, ...)$  (1)

GroupWork

Therefore, arg  $(1 + \sqrt{3}i)$  is \_\_\_\_\_

Write  $z_1 = -1 - i$  and  $z_2 = 1 - i$  in **polar form** and sketch them on the given axes.



Do you see any interesting geometrical relationship between  $z_1$  and  $z_2$ ?

Do you notice any interesting algebraic relationship between  $z_1$  and  $z_2$ ?

Write down a general relationship between  $\arg(z_1 z_2)$  and  $\arg(z_1)$  and  $\arg(z_2)$ 

### Complex Analysis

Worksheet 3

Exponential Forms Of Complex Numbers Euler's Formula

You may have noticed that the expression  $\cos \theta + i \sin \theta$  is so common that the shorthand  $\operatorname{cis} \theta$  has been developed. Another, even more compact symbol can be derived using **Euler's Formula**:

$$e^{i\theta} = \cos\theta + i\sin\theta$$

Note  $\theta = \arg z$  and is a real number in these formulas. So, now we can write complex numbers in **exponential form** 

$$z = |z|e^{i\theta} = re^{i\theta}$$

Exercise 2

A. Compute the value of  $e^{\pi i}$ 

B. Write 1 + i in exponential form

C. Write  $(1-i)^5$  in rectangular form (i.e. the usual x + iy)

## De Moivre's Formula

 $(\cos\theta + i\sin\theta)^n = \cos n\theta + i\sin n\theta$ 

We will prove this is true by first writing down  $z^n$  in polar form and exponential form and equating them.